Contents to volume 283

Discussion Letter

Aminoacyl-tRNA synthetases and DNA replication: Molecular mimicry between RNAII and $tRNA^{Lys}$ (FEBS 09726) *M. Mirande* 1

Research Letters

Direct identification and quantification of the cofactor in glutamate semialdehyde aminotransferase from pea leaves (FEBS 09729) *S.P. Nair, J.L. Harwood, R.A. John* 4

Absence of insulinotropic glucagon-like peptide-I(7–37) receptors on isolated rat liver hepatocytes (FEBS 09722) *P.F. Blackmore, S. Mojsov, J.H. Exton, J.F. Habener* 7

Kinetic and cross-linking studies indicate different receptors for endothelins and sarafotoxins in the ileum and cerebellum (FEBS 09724) *R. Galron, A. Bdolah, E. Kochva, Z. Wollberg, Y. Kloog, M. Sokolovsky* 11

Dissociation of the hepatic insulin receptor favours its phosphorylation by casein kinase 2 (FEBS 09725) *R. Trujillo, M. Jose, M. Plana, E. Molina, E. Itarte* 15

Effects of heat shock on the level of trehalose and glycogen, and on the induction of thermotolerance in *Neurospora crassa* (FEBS 09728) *M.J. Neves, J.A. Jorge, J.M. François, H.F. Terenzi* 19

Determination of DNA binding specificities of mutated zinc finger domains (FEBS 09730) *H.-J. Thiesen, C. Bach* 23

Molecular cloning and sequencing of genomic DNA encoding yeast vacuolar carboxypeptidase yscS (FEBS 09731) *J. Bordallo, C. Bordallo, S. Gascón, P. Suárez-Rendueles* 27

Electrochemical redox titration of cofactors in the reaction center from *Rhodobacter sphaeroides* (FEBS 09733) *D.A. Moss, M. Leonhard, M. Bauscher, W. Mäntele* 33

Identification of creatine kinase isoenzymes in the guinea-pig: Presence of mitochondrial creatine kinase in smooth muscle (FEBS 09727) *Yu. Ishida, M. Wyss, W. Hemmer, T. Wallimann* 37

The conformations of trimethoprim/*E. coli* dihydrofolate reductase complexes: A ^{15}N and ^{31}P NMR study (FEBS 09716) *F. Huang, Q.-X. Yang, T. Huang, L. Gelbaum, L.F. Kuyper* 44

Expression of functional receptors for interleukin-6 by human polymorphonuclear leukocytes: Downregulation by granulocyte-macrophage colony-stimulating factor (FEBS 09732) *R. Henschler, A. Lindemann, M.A. Brach, A. Mackensen, R.H. Mertelsmann, F. Herrmann* 47

Expression and cell membrane localization of rat M3 muscarinic acetylcholine receptor produced in Sf 9 insect cells using the baculovirus system (FEBS 09735) *S. Vasudevan, H. Reiländer, G. Maul, H. Michel* 52

Functional size analysis of pyrophosphatase from *Rhodospirillum rubrum* determined by radiation inactivation (FEBS 09734) *J.J. Wu, J.T. Ma, R.L. Pan* 57

Human interleukin-5 expressed in *Escherichia coli:* assignment of the disulfide bridges of the purified unglycosylated protein (FEBS 09747) *A.E.I. Proudfoot, J.G. Davies, G. Turcatti, P.T. Wingfield* 61

Multiple control level governing $H1^0$ mRNA and protein accumulation (FEBS 09690) *S. Khochbin, C. Gorka, J.-J. Lawrence* 65

The domain structure of transketolase from baker's yeast (FEBS 09696) *N.K. Tikhomirova, V.L. Tsuprun, G.A. Kochetov* 68

Cell volume is a major determinant of proteolysis control in liver (FEBS 09692) *D. Häussinger, C. Hallbrucker, S. vom Dahl, S. Decker, U. Schweizer, F. Lang, W. Gerok* 70

Alternative splicing generates two isoforms of the α2 subunit of the inhibitory glycine receptor (FEBS 09691) *J. Kuhse, A. Kuryatov, Y. Maulet, M.L. Malosio, V. Schmieden, H. Betz* 73

The proteinase yscA-inhibitor, $I^A{}_3$, gene: Studies of cytoplasmic proteinase inhibitor deficiency on yeast physiology (FEBS 09693) *P. Schu, D.H. Wolf* 78

Structural features of stomach aldehyde dehydrogenase distinguish dimeric aldehyde dehydrogenase as a 'variable' enzyme: 'Variable' and 'constant' enzymes within the alcohol and aldehyde dehydrogenase families (FEBS 09694) *S.-J. Yin, N. Vagelopoulos, S.-L. Wang, H. Jörnvall* 85

Alamethicin channel permeation by Ca^2, Mn^2 and Ni^2 in bovine chromaffin cells (FEBS 09699) *R.I. Fonteriz, M.G. López, J. García-Sancho, A.G. García* 89

Inhibition of electrical activity in mouse pancreatic β-cells by the ATP/ADP translocase inhibitor, bongkrekic acid (FEBS 09700) *B. Kiranadi, J.A. Bangham, P.A. Smith* 93

Several forms of chromaffin granule cytochrome *b*-561 revealed by EPR spectroscopy (FEBS 09695) *D.S. Burbaev, I.A. Moroz, Yu.A. Kamenskiy, A.A. Konstantinov* 97

Direct analysis of peptides and amino acids from capillary electrophoresis (FEBS 09758) *T. Bergman, B. Agerberth, H. Jörnvall* 100

The α subunit of human chorionic gonadotropin hormone synthesized in insect cells using a baculovirus vector is biologically active (FEBS 09759) *B. Nakhai, R. Pal, P. Sridhar, G.P. Talwar, S.E. Haisnan* 104

Construction and properties of a triprotein containing the high-affinity nickel transporter of *Alcaligenes eutrophus* (FEBS 09750) *L. Wolfram, T. Eitinger, B. Friedrich* 109

Intrinsic tryptophan phosphorescence as a marker of conformation and oxygen diffusion in purified cytochrome oxidase (FEBS 09760) *S. Papp, T.E. King, J.M. Vanderkooi* 113

The three-dimensional structure of proteasomes from *Thermoplasma acidophilum* as determined by electron microscopy using random conical tilting (FEBS 09742) *R. Hegerl, G. Pfeifer, G. Pühler, B. Dahlmann, W. Baumeister* 117

cDNA cloning and chromosomal localization of the human β-adrenergic receptor kinase (FEBS 09697) *J.L. Benovic, W.C. Stone, K. Huebner, C.Croce, M.G. Caron, R.J. Lefkowitz* 122

^{19}F NMR evidence for interactions between the c-AMP binding sites on the c-AMP receptor protein from *E. coli* (FEBS 09698) *M.G. Hinds, R.W. King, J. Feeney* 127

Resonance Raman study of cytochrome aa_3 from *Sulfolobus acidocaldarius* (FEBS 09736) *P. Hildebrandt, G. Heibel, S. Anemüller, G. Schäfer* 131

Identification and characterization of a C-terminally extended form of recombinant murine IL-6 (FEBS 09740) *D.E. Danley, C.A. Strick, L.C. James, A.J. Lanzetti, I.G. Otterness, H.E. Grenett, G.M. Fuller* 135

Small weak acids stimulate proton transfer events in site-directed mutants of the two ionizable residues, Glu^{L212} and Asp^{L213}, in the Q_B-binding site of *Rhodobacter sphaeroides* reaction center (FEBS 09737) *E. Takahashi, C.A. Wraight* 140

Identification and immunohistochemical mapping of $GABA_A$ receptor subtypes containing the δ-subunit in rat brain (FEBS 09738) *D. Benke, S. Mertens, A. Trzeciak, D. Gillessen, H. Mohler* 145

Bidirectional effects of Kupffer cells on hepatocyte proliferation in vitro (FEBS 09739) *D.H. Meyer, M.G. Bachem, A.M. Gressner* 150

Immunologic mapping of the amino- and carboxy-termini of the turkey erythrocyte β-adrenergic receptor: Selective proteoly-

sis of both domains (FEBS 09741) *A. Luxembourg, M. Hekman, E.M. Ross* 155
Hyperreactivity of adenines and conformational flexibility of a translational repression site (FEBS 09761) *S.J. Talbot, G. Medina, C.W.G. Fishwick, I. Haneef, P.G. Stockley* 159

Announcements 165

Corrigenda 166

Notes to Authors 167

Research Letters

$[Ca^2]_i$ oscillations from internal stores sustain exocytic secretion from the chromaffin cells of the rat (FEBS 09744) *A. Malgaroli, J. Meldolesi* 169

The localization of the cAMP-dependent protein kinase phosphorylation site in the platelet rat protein, rap 1B (FEBS 09745) *T.H. Fischer, J.H. Collins, M.N. Gatling, G.C. White II* 173

Cloning of the protein D2 gene of *Pseudomonas aeruginosa* and its functional expression in the imipenem-resistant host (FEBS 09746) *H. Yoneyama, T. Nakae* 177

Mutating P_2 and P_1 residues at cleavage junctions in the HIV-1 pol polyprotein: Effects on hydrolysis by HIV-1 proteinase (FEBS 09751) *R.A. Jupp, L.H. Phylip, J.S. Mills, S.F.J. Le Grice, J. Kay* 180

Increased responsiveness of rat mast cells to compound 48/80 due to removal of extracellular magnesium: Effects of ouabain and EGTA (FEBS 09748) *H. Bertelsen, T. Johansen* 185

Human galanin: primary structure and identification of two molecular forms (FEBS 09749) *M. Bersani, A.H. Johnsen, P. Højrup, B.E. Dunning, J.J. Andreasen, J.J. Holst* 189

Isolation of a novel arachidonic acid metabolite 3-hydroxy-5,8,11,14-eicosatetraenoic acid (3-HETE) from the yeast *Dipodascopsis uninucleata* UOFs-Y128 (FEBS 09752) *M.S. van Dyk, J.L.F. Kock, D.J. Coetzee, O.P.H. Augustyn, S. Nigam* 195

Molecular cloning of cDNA encoding adipogenesis inhibitory factor and identity with interleukin-11 (FEBS 09753) *I. Kawashima, J. Ohsumi, K. Mita-Honjo, K. Shimoda-Takano, H. Ishikawa, S. Sakakibara, K. Miyadai, Y. Takiguchi* 199

The yeast DNA repair proteins RAD1 and RAD7 share similar putative functional domains (FEBS 09754) *R. Schneider, M. Schweiger* 203

Three-dimensional structure of ribonuclease Ms•3′-guanylic acid complex at 2.5 Å resolution (FEBS 09755) *T. Nonaka, Y. Mitsui, M. Irie, K.T. Nakamura* 207

rig encodes ribosomal protein S15: The primary structure of mammalian ribosomal protein S15 (FEBS 09757) *M. Kitagawa, S. Takasawa, N. Kikuchi, T. Itoh, H. Teraoka, H. Yamamoto, H. Okamoto* 210

Molecular cloning and sequence analysis of cDNA encoding Δ^4-3-ketosteroid 5β-reductase of rat liver (FEBS 09756) *Y. Onishi, M. Noshiro, T. Shimosato, K. Okuda* 215

Platelet-derived growth factor stimulates phosphorylation of the 25 kDa mRNA cap binding protein (eIF-4E) in human lung fibroblasts (FEBS 09762) *X. Bu, C.H. Hagedorn* 219

pH-dependent changes in structure and RNA-binding activity of casein kinase 2 from *Rana temporaria* oocytes (FEBS 09764) *K.V. Kandror, D.V. Kapkov, O.A. Turapov, A.S. Stepanov* 223

Simple approach for oligonucleotide-directed mutagenesis of any double-stranded circular DNA (FEBS 09763) *V.L. Drutsa, V.R. Kaberdin* 227

Dystrophin constitutes 5% of membrane cytoskeleton in skeletal muscle (FEBS 09765) *K. Ohlendieck, K.P. Campbell* 230

Cellular mono(ADP-ribosyl) transferase inhibits protein synthesis (FEBS 09766) *W.J. Iglewski, S. Dewhurst* 235

Localization of metallothionein in nuclei of growing primary cultured adult rat hepatocytes (FEBS 09743) *K. Tsujikawa, T. Imai, M. Kakutani, Y. Kayamori, T. Mimura, N. Otaki, M. Kimura, R. Fukuyama, N. Shimizu* 239

Mitogen-stimulated events in nuclei of Swiss 3T3 cells: Evidence for a direct link between changes of inositol lipids, protein kinase C requirement and the onset of DNA synthesis (FEBS 09767) *A.M. Martelli, R.S. Gilmour, L.M. Neri, L. Manzoli, A.N. Corps, L. Cocco* 243

After microinjection hemimethylated DNA is converted into symmetrically methylated DNA before DNA replication (FEBS 09768) *G. Sandberg, E. Guhl, M. Graessmann, A. Graessmann* 247

RNA–RNA and RNA–protein interactions in 30 S ribosomal subunits: Association of 16 S rRNA fragments in the presence of ribosomal proteins (FEBS 09769) *E.I. Afonina, N.V. Chichkova, A.A. Bogdanov* 251

Pigment stoichiometry of a newly isolated D1–D2–Cyt b_{559} complex from the higher plant *Beta vulgaris* L. (FEBS 09770) *G. Montoya, I. Yruela, R. Picorel* 255

Diazipine, a novel photoaffinity probe for dihydropyridine receptors of calcium channels (FEBS 09773) *M. Taki, H. Nakayama, Y. Kanaoka* 259

Nucleotide sequence of the replication region of the marine *Rhodobacter* plasmid pRD31 (FEBS 09772) *T. Matsunaga, H. Mihashita, M. Miyake, J.G. Burgess* 263

Methotrexate binds in a non-productive orientation to human dihydrofolate reductase in solution, based on NMR spectroscopy (FEBS 09771) *B.J. Stockman, N.R. Nirmala, G. Wagner, T.J. Delcamp, M.T. DeYarman, J.H. Freisheim* 267

Evidence for a role of phosphofructokinase and tRNA in the polyribosome disaggregation of amino acid deficiency (FEBS 09774) *M. Rabinovitz* 270

Modulation by phosphorylation of glycogen phosphorylase-sarcoplasmic reticulum interaction (FEBS 09723) *A. Cuenda, F. Centeno, C. Gutierrez-Merino* 273

Clostripain: characterization of the active site (FEBS 09775) *A.A. Kembhavi, D.J. Buttle, P. Rauber, A.J. Barrett* 277

Primary structure of the virus activating protease from chick embryo: Its identity with the blood clotting factor Xa (FEBS 09776) *H. Suzuki, A. Harada, Y. Hayashi, K. Wada, J. Asaka, B. Gotoh, T. Ogasawara, Y. Nagai* 281

Location of dinucleoside triphosphatase in the matrix space of rat liver mitochondria (FEBS 09777) *D. Bernet, R.M. Pinto, A. Sillero, J.C. Cameselle* 286

Differential synthesis by cultured atrial and ventricular rat cardiac myocytes of myosin light chain isoforms (FEBS 09778) *T. Brand, H. Milting, M. Zippel, H. Jockusch* 289

Recombinant poliovirus 3C protease: The enzyme application to protein specific fragmentation (FEBS 09779) *E.P. Sablina, V.K. Antonov* 291

Energetic cooperation via ion-permeable junctions in mixed animal cell cultures (FEBS 09780) *K.B. Aslanidi, L.J. Boitsova, L.M. Chailakhyan, L.N. Kublik, I.I. Marachova, T.V. Potapova, T.A. Vinogradova* 295

Rapid purification and characterisation of HIV-1 reverse transcriptase and RNaseH engineered to incorporate a C-terminal tripeptide α-tubulin epitope (FEBS 09784) *D.K. Stammers, M. Tisdale, S. Court, V. Parmar, C. Bradley, C.K. Ross* 298

A synthetic β-casein phosphopeptide and analogues as model substrates for casein kinase-1, a ubiquitous, phosphate directed protein kinase (FEBS 09781) *F. Meggio, J.W. Perich, E.C. Reynolds, L.A. Pinna* 303

Identification of 50 kDa snake venom proteins which specifically inhibit platelet adhesion to collagen (FEBS 09782) *J.B. Smith, C. Dangelmaier, M. Selak* 307

Refined crystal structure of ytterbium-substituted carp parvalbumin 4.25 at 1.5 Å, and its comparison with the native and cadmium-substituted structures (FEBS 09783) *V.D. Kumar, L. Lee, B.F.P. Edwards* 311

Voltage-dependent cationic channels formed by a cytolytic toxin produced by *Gardnerella vaginalis* (FEBS 09785) *O. Moran, O. Zegarra-Moran, C. Virginio, G. Rottini* 317

Translocation of the α- and β-isoforms of protein kinase C following activation of human T-lymphocytes (FEBS 09786) *A. Kvanta, M. Jondal, B.B. Fredholm* 321

SRH1 protein, the yeast homologue of the 54 kDa subunit of signal recognition particle, is involved in ER translocation of secretory proteins (FEBS 09787) *Y. Amaya, A. Nakano* 325

The complete amino acid sequence of bovine cathepsin S and a partial sequence of bovine cathepsin L (FEBS 09812) *A. Ritonja, A. Čolić, I. Dolenc, T. Ogrinc, M. Podobnik, V. Turk* 329

Author index to volume 283 332

Contents to volume 283 337